

**Expanded BRFSS, 2003**

**Cattaraugus, Chautauqua Locality Tables**

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days ..... 1  
Core 2: Health Care Access ..... 4  
Core 3: Exercise ..... 8  
Core 4: Diabetes ..... 9  
Core 5: Asthma ..... 10  
Core 6: Arthritis ..... 12  
Core 7: Tobacco Use ..... 14  
Core 8: Tobacco ETS ..... 17  
Core 9: Alcohol Consumption ..... 19  
Core 10: Weight Status ..... 21  
Core 11: Mammography ..... 23  
Core 12: Sexual Behavior ..... 25  
Core 13: Family Planning ..... 28  
Core 14: Cardiovascular Disease ..... 29  
Core 15: Prostate Cancer Screening ..... 31  
Core 16: Colorectal Cancer Screening ..... 37

**New York State Department Of Health**

Expanded BRFSS, 2003 - New York State Department of Health

## Self-rated Health Status

### *Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Fair or Poor %<sup>2</sup></b>	<b>n</b>	<b>Good to Excellent %</b>	<b>C.I.<sup>3</sup></b>
Total	106	14.2	525	85.8	2.9
Gender					
Male	36	13.5	200	86.5	4.7
Female	70	14.8	325	85.2	3.6
Age					
18-34	7	6.0	112	94.0	5.0
35-54	31	11.2	215	88.8	4.0
≥55	67	24.8	195	75.2	5.9
Education					
≤High School	66	16.8	256	83.2	4.5
>High School	40	11.4	268	88.6	3.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Number of Physical Distress Days in the Past Month

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	≥14 days % <sup>2</sup>	n	< 14 days %	C.I. <sup>3</sup>
Total	82	11.0	533	89.0	2.6
Gender					
Male	18	7.1	214	92.9	3.4
Female	64	14.8	319	85.2	3.8
Age					
18-34	8	6.1	108	93.9	4.3
35-54	29	10.5	215	89.5	4.0
≥55	44	16.0	208	84.0	4.9
Education					
≤High School	52	13.2	260	86.8	3.9
>High School	30	8.7	272	91.3	3.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Number of Mental Distress Days in the Past Month

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	≥14 days % <sup>2</sup>	n	< 14 days %	C.I. <sup>3</sup>
Total	61	9.5	559	90.5	2.7
Gender					
Male	16	6.3	216	93.7	3.5
Female	45	12.4	343	87.6	3.9
Age					
18-34	13	10.3	103	89.7	6.1
35-54	31	11.9	212	88.1	4.5
≥55	16	5.6	241	94.4	3.0
Education					
≤High School	34	10.3	281	89.7	3.9
>High School	27	8.6	277	91.4	3.6

<sup>1</sup> Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup> Weighted Percent

<sup>3</sup> 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Health Insurance Coverage, 18-64 Years of Age

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	374	80.3	75	19.7	4.6
Gender					
Male	153	76.3	38	23.7	7.4
Female	221	84.5	37	15.5	5.3
Age					
18-34	86	70.0	32	30.0	9.8
35-54	213	85.1	35	14.9	4.9
55-64	75	89.6	8	10.4	7.7
Education					
≤High School	162	75.8	45	24.2	7.0
>High School	212	85.1	29	14.9	5.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Health Insurance Coverage, Aged 18 and Older

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	552	83.9	81	16.1	3.7
Gender					
Male	198	80.2	39	19.8	6.3
Female	354	87.3	42	12.7	4.1
Age					
18-34	86	70.0	32	30.0	9.8
35-54	213	85.1	35	14.9	4.9
≥55	249	94.4	14	5.6	3.3
Education					
≤High School	274	81.0	49	19.0	5.5
>High School	278	87.3	31	12.7	4.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Reported Having a Routine Physical Exam in Past Two Years

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	553	85.3	74	14.7	3.7
Gender					
Male	192	80.4	41	19.6	6.3
Female	361	89.9	33	10.1	3.7
Age					
18-34	90	74.4	27	25.6	9.6
35-54	215	87.3	30	12.7	4.7
≥55	245	92.5	17	7.5	3.9
Education					
≤High School	277	83.0	42	17.0	5.6
>High School	276	88.1	31	11.9	4.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Time in Past 12 Months when Needed Medical Care but Could Not Get It

### *Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	44	7.6	588	92.4	2.5
Gender					
Male	17	7.7	219	92.3	4.0
Female	27	7.5	369	92.5	3.0
Age					
18-34	10	8.4	108	91.6	5.7
35-54	27	10.6	220	89.4	4.2
≥55	7	3.5	256	96.5	2.7
Education					
≤High School	25	7.8	298	92.2	3.3
>High School	19	7.4	289	92.6	3.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	437	72.5	195	27.5	3.9
Gender					
Male	176	75.3	60	24.7	6.2
Female	261	69.9	135	30.1	4.9
Age					
18-34	91	77.0	28	23.0	8.7
35-54	176	70.5	72	29.5	6.1
≥55	167	70.7	94	29.3	5.8
Education					
≤High School	200	67.0	124	33.0	5.9
>High School	237	78.7	70	21.3	5.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Physician Diagnosed Diabetes

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	55	7.6	579	92.4	2.2
Gender					
Male	19	7.5	218	92.5	3.4
Female	36	7.7	361	92.3	2.7
Age					
18-34	0	0.0	119	100	0.0
35-54	14	5.7	234	94.3	3.1
≥55	41	16.7	222	83.3	5.2
Education					
≤High School	32	8.4	292	91.6	3.2
>High School	23	6.7	286	93.3	2.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Lifetime Asthma Diagnosed by a Medical Professional

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	67	10.1	567	89.9	2.6
Gender					
Male	20	8.1	217	91.9	3.7
Female	47	12.0	350	88.0	3.6
Age					
18-34	16	11.9	103	88.1	6.1
35-54	27	9.5	221	90.5	3.7
≥55	23	9.0	240	91.0	4.0
Education					
≤High School	36	10.1	288	89.9	3.6
>High School	31	10.3	278	89.7	3.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Current Asthma Diagnosed by a Medical Professional**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	52	7.7	581	92.3	2.3
Gender					
Male	15	6.4	222	93.6	3.4
Female	37	8.9	359	91.1	3.0
Age					
18-34	11	7.6	107	92.4	4.8
35-54	20	7.1	228	92.9	3.3
≥55	20	8.1	243	91.9	3.8
Education					
≤High School	28	7.6	295	92.4	3.2
>High School	24	7.7	285	92.3	3.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health  
**Arthritis Diagnosed by a Medical Professional**  
*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	226	29.4	406	70.6	3.9
Gender					
Male	60	22.8	177	77.2	5.7
Female	166	35.5	229	64.5	5.1
Age					
18-34	12	8.6	107	91.4	5.2
35-54	72	28.9	175	71.1	6.2
≥55	140	48.2	123	51.8	6.8
Education					
≤High School	126	30.2	196	69.8	5.4
>High School	100	28.6	209	71.4	5.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Doctor Diagnosed % <sup>2</sup>	C.I. <sup>3</sup>	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	226	29.5	3.9	105	18.7	3.6	298	51.8	4.5
Gender									
Male	60	22.8	5.7	48	20.9	5.9	129	56.2	7.1
Female	166	35.8	5.1	57	16.5	4.4	169	47.7	5.6
Age									
18-34	12	8.6	5.2	24	21.7	8.5	83	69.7	9.3
35-54	72	29.0	6.2	47	19.3	5.3	127	51.7	6.8
≥55	140	48.5	6.8	34	15.4	5.3	87	36.1	6.7
Education									
≤High School	126	30.2	5.4	53	19.0	5.2	143	50.8	6.5
>High School	100	28.8	5.5	52	18.3	5.0	154	52.9	6.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Smoked 100 Cigarettes in Lifetime

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	336	52.9	298	47.1	4.5
Gender					
Male	144	59.3	93	40.7	7.2
Female	192	47.0	205	53.0	5.6
Age					
18-34	63	51.2	56	48.8	10.3
35-54	136	52.9	112	47.1	6.8
≥55	134	54.0	129	46.0	6.8
Education					
≤High School	193	60.8	131	39.2	6.3
>High School	142	44.0	167	56.0	6.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Current Smoker

### *Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	175	29.4	459	70.6	4.2
Gender					
Male	73	32.0	164	68.0	6.9
Female	102	27.0	295	73.0	5.0
Age					
18-34	53	42.7	66	57.3	10.2
35-54	80	31.7	168	68.3	6.2
≥55	40	14.4	223	85.6	4.6
Education					
≤High School	115	40.4	209	59.6	6.5
>High School	60	17.3	249	82.7	4.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Status of Cigarette Smoking***Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Everyday Smoker %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Someday Smoker %</b>	<b>C.I.</b>	<b>n</b>	<b>Former or Never Smoked %</b>	<b>C.I.</b>
Total	138	22.8	3.9	37	6.5	2.5	459	70.6	4.2
Gender									
Male	56	24.4	6.3	17	7.6	4.2	164	68.0	6.9
Female	82	21.4	4.5	20	5.5	2.8	295	73.0	5.0
Age									
18-34	44	33.9	9.6	9	8.8	6.8	66	57.3	10.2
35-54	60	24.2	5.8	20	7.5	3.4	168	68.3	6.2
≥55	33	11.3	4.1	7	3.0	2.3	223	85.6	4.6
Education									
≤High School	93	32.3	6.2	22	8.1	4.1	209	59.6	6.5
>High School	45	12.4	3.8	15	4.8	2.7	249	82.7	4.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution<sup>2</sup>Weighted Percent<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Home Smoking Policies

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Not Allowed % <sup>2</sup>	C.I. <sup>3</sup>	n	Allowed Some Places %	C.I.	n	Allowed Anywhere %	C.I.
Total	375	58.7	4.5	90	15.1	3.3	167	26.2	4.1
Gender									
Male	133	55.8	7.3	34	15.6	5.4	69	28.7	6.8
Female	242	61.3	5.4	56	14.7	3.9	98	24.0	4.8
Age									
18-34	65	51.4	10.3	22	18.4	7.9	32	30.1	9.9
35-54	147	60.0	6.6	42	17.4	5.1	59	22.7	5.5
≥55	161	63.8	6.5	25	9.2	3.9	75	26.9	6.0
Education									
≤High School	167	50.0	6.5	52	17.9	5.1	104	32.1	6.2
>High School	207	68.2	5.9	38	12.0	4.0	63	19.8	5.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Home Smoking

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	196	33.3	438	66.7	4.4
Gender					
Male	83	37.5	154	62.5	7.3
Female	113	29.5	284	70.5	5.1
Age					
18-34	49	46.1	70	53.9	10.4
35-54	90	35.3	158	64.7	6.4
≥55	55	19.2	208	80.8	5.2
Education					
≤High School	120	41.0	204	59.0	6.5
>High School	76	24.9	233	75.1	5.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	91	17.2	535	82.8	3.7
Gender					
Male	59	25.9	175	74.1	6.6
Female	32	9.1	360	90.9	3.2
Age					
18-34	35	30.1	81	69.9	9.7
35-54	41	16.1	205	83.9	4.9
≥55	14	6.8	246	93.2	3.7
Education					
≤High School	46	17.7	270	82.3	5.5
>High School	45	16.6	264	83.4	4.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	36	4.9	589	95.1	1.7
Gender					
Male	19	5.8	214	94.2	2.9
Female	17	4.0	375	96.0	2.0
Age					
18-34	6	2.5	110	97.5	2.1
35-54	17	6.2	229	93.8	3.1
≥55	13	5.5	247	94.5	3.2
Education					
≤High School	20	5.3	295	94.7	2.6
>High School	16	4.4	293	95.6	2.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Overweight or Obese, BMI(Body Mass Index) 25 or More**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	391	64.4	213	35.6	4.5
Gender					
Male	175	71.9	62	28.1	6.8
Female	216	56.8	151	43.2	5.8
Age					
18-34	50	48.2	61	51.8	10.7
35-54	167	71.3	71	28.7	6.2
≥55	174	70.9	79	29.1	6.3
Education					
≤High School	207	64.7	102	35.3	6.5
>High School	184	64.0	111	36.0	6.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Underweight\ Normal %<sup>2</sup></b>	<b>C.I.<sup>3</sup></b>	<b>n</b>	<b>Overweight %</b>	<b>C.I.</b>	<b>n</b>	<b>Obese %</b>	<b>C.I.</b>
Total	213	35.6	4.5	235	40.2	4.6	156	24.2	3.8
Gender									
Male	62	28.1	6.8	119	50.0	7.2	56	21.9	5.7
Female	151	43.2	5.8	116	30.4	5.3	100	26.4	5.1
Age									
18-34	61	51.8	10.7	33	31.5	10.1	17	16.7	8.0
35-54	71	28.7	6.2	90	39.7	6.9	77	31.6	6.3
≥55	79	29.1	6.3	112	48.6	7.0	62	22.3	5.5
Education									
≤High School	102	35.3	6.5	122	38.7	6.5	85	26.0	5.5
>High School	111	36.0	6.2	113	41.9	6.4	71	22.2	5.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Ever Had Mammography Screening, Women Aged 40 Years and Older**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Female	245	82.5	46	17.5	5.1
Age					
40-64	132	81.8	26	18.2	6.9
≥65	113	83.9	20	16.1	7.2
Education					
≤High School	125	81.9	27	18.1	6.9
>High School	119	83.0	19	17.0	7.5

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Female	215	72.1	75	27.9	6.0
Age					
40-64	114	69.9	44	30.1	8.1
≥65	101	76.1	31	23.9	8.2
Education					
≤High School	105	70.2	46	29.8	8.0
>High School	110	74.2	28	25.8	9.0

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	51	12.2	389	87.8	3.7
Gender					
Male	10	6.3	177	93.7	4.9
Female	41	18.1	212	81.9	5.5
Age					
18-34	32	24.3	83	75.7	8.8
35-54	17	6.1	228	93.9	3.1
55-64	2	2.7	78	97.3	3.7
Education					
≤High School	23	13.8	178	86.2	6.1
>High School	28	10.6	211	89.4	4.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Sexually Active, Age 18-64 Years Old**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	330	80.3	93	19.7	4.5
Gender					
Male	142	80.3	37	19.7	7.1
Female	188	80.4	56	19.6	5.6
Age					
18-34	91	75.9	22	24.1	9.7
35-54	193	87.4	39	12.6	4.2
55-64	46	69.1	32	30.9	10.6
Education					
≤High School	146	78.3	47	21.7	6.8
>High School	184	82.4	46	17.6	5.9

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

### *Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	55	16.5	278	83.5	4.5
Gender					
Male	28	17.7	116	82.3	6.9
Female	27	15.2	162	84.8	5.8
Age					
18-34	29	28.0	65	72.0	10.1
35-54	22	10.0	173	90.0	4.3
55-64	4	10.0	40	90.0	9.9
Education					
≤High School	26	17.8	122	82.2	7.1
>High School	29	15.2	156	84.8	5.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

*Cattaraugus, Chautauqua*

Demographic Groups	Use BC			No BC at risk			No BC		
	n <sup>1</sup>	% <sup>2</sup>	C.I. <sup>3</sup>	n	%	C.I.	n	%	C.I.
Total	188	63.0	6.4	31	11.2	4.4	80	25.8	5.8
Gender									
Male	94	59.2	8.8	17	12.4	6.5	53	28.4	7.9
Female	94	68.6	8.8	14	9.5	4.9	27	21.9	8.3
Age									
18-34	73	59.5	10.5	15	13.6	7.7	26	26.9	9.7
35-59	115	66.2	7.2	16	9.0	4.5	54	24.7	6.4
Education									
≤High School	90	61.9	9.3	14	12.5	7.1	38	25.6	8.1
>High School	98	64.1	8.6	17	9.8	4.7	42	26.0	8.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Physician Diagnosed Heart Attack, Angina or Stroke**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	67	9.2	558	90.8	2.4
Gender					
Male	30	11.5	205	88.5	4.2
Female	37	7.1	353	92.9	2.5
Age					
18-64	27	5.1	416	94.9	2.1
≥65	40	25.5	139	74.5	7.6
Education					
≤High School	48	12.6	270	87.4	3.9
>High School	19	5.5	288	94.5	2.7

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	62	8.8	563	91.2	2.4
Gender					
Male	29	11.3	206	88.7	4.2
Female	33	6.5	357	93.5	2.4
Age					
18-64	25	4.7	418	95.3	2.0
≥65	37	24.7	142	75.3	7.6
Education					
≤High School	46	12.4	272	87.6	3.9
>High School	16	4.8	291	95.2	2.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Male	95	65.8	58	34.2	7.8
Age					
40-64	59	57.5	51	42.5	9.8
≥65	36	85.8	7	14.2	10.6
Education					
≤High School	51	69.6	24	30.4	10.9
>High School	44	61.8	34	38.2	11.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	83	57.8	70	42.2	8.3
Age					
40-64	50	48.4	60	51.6	10.1
≥65	33	80.5	10	19.5	11.9
Education					
≤High School	43	60.1	32	39.9	11.6
>High School	40	55.4	38	44.6	11.8

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Digital Rectal Exam, Men Aged 40 and Older

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Male	122	78.8	37	21.2	6.7
Age					
40-64	83	75.5	30	24.5	8.5
≥65	39	86.4	7	13.6	10.1
Education					
≤High School	58	75.0	20	25.0	10.4
>High School	64	82.7	17	17.3	8.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Used a Blood Stool Test at Home, Aged 50 and Older

*Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	140	44.7	181	55.3	6.1
Gender					
Male	50	48.9	57	51.1	10.2
Female	90	41.2	124	58.8	7.3
Age					
50-64	56	39.4	87	60.6	8.7
≥65	84	50.5	94	49.5	8.4
Education					
≤High School	71	43.3	104	56.7	8.3
>High School	69	46.2	77	53.8	9.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	55	18.1	261	81.9	4.8
Gender					
Male	21	21.2	86	78.8	8.3
Female	34	15.6	175	84.4	5.3
Age					
50-64	18	13.9	124	86.1	6.2
≥65	37	22.8	137	77.2	7.3
Education					
≤High School	34	21.2	140	78.8	6.8
>High School	21	14.8	121	85.2	6.6

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

### *Cattaraugus, Chautauqua*

Demographic Groups	n <sup>1</sup>	Yes % <sup>2</sup>	n	No %	C.I. <sup>3</sup>
Total	86	28.3	230	71.7	5.6
Gender					
Male	33	32.5	74	67.5	9.5
Female	53	24.8	156	75.2	6.4
Age					
50-64	35	25.5	107	74.5	7.8
≥65	51	31.5	123	68.5	8.0
Education					
≤High School	45	28.0	129	72.0	7.6
>High School	41	28.7	101	71.3	8.3

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	148	46.3	172	53.7	6.2
Gender					
Male	54	52.0	52	48.0	10.2
Female	94	41.6	120	58.4	7.3
Age					
50-64	61	42.7	82	57.3	8.9
≥65	87	50.4	90	49.6	8.4
Education					
≤High School	84	47.4	91	52.6	8.3
>High School	64	45.1	81	54.9	9.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

## Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

### *Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	136	42.5	182	57.5	6.1
Gender					
Male	49	46.1	57	53.9	10.2
Female	87	39.5	125	60.5	7.2
Age					
50-64	57	39.4	85	60.6	8.7
≥65	79	46.0	97	54.0	8.4
Education					
≤High School	77	43.0	96	57.0	8.2
>High School	59	42.0	86	58.0	9.1

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

**Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older**

*Cattaraugus, Chautauqua*

<b>Demographic Groups</b>	<b>n<sup>1</sup></b>	<b>Yes %<sup>2</sup></b>	<b>n</b>	<b>No %</b>	<b>C.I.<sup>3</sup></b>
Total	157	49.3	165	50.7	6.2
Gender					
Male	58	54.7	49	45.3	10.1
Female	99	44.8	116	55.2	7.4
Age					
50-64	66	46.6	77	53.4	8.9
≥65	91	52.2	88	47.8	8.3
Education					
≤High School	89	50.3	87	49.7	8.3
>High School	68	48.2	78	51.8	9.2

<sup>1</sup>Percents based on row denominators of less than 50 are unstable and should be used with caution

<sup>2</sup>Weighted Percent

<sup>3</sup>95% Confidence Interval